

Hang Out


Brogliato Traverso 2019



TECHNICAL SHEET

Hang Out is a suspension and wall lighting system, which combines the functionality of the architecture with the expressiveness of the decorative.

Certification




	1906-33 LARGE
Mounting	Wall sconces
Enviroment	Indoor - Dry Location
Materials	Metal
Voltage	100-277V 50/60Hz
Source	LED 65W - CRI=80
Color temperature	3000K / 2700K
Lumen	Up to 1561 lm
Lighting control	Dimmable 0-10V

	1906-90 LARGE	1906-93 LARGE HORIZONTAL
Mounting	Panel	Panel
Enviroment	Indoor - Dry location	Indoor - Dry location
Materials	MDF, Wood and Fabric	MDF, Wood and Fabric

Technical Drawing

1906-33 + 1906-93

1906-33 +1906-90



Finishes


Structure



Ash panel



MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Hang Out

Brogliato Traverso

Codes Interpretation

1906 - 33 - 1100 - DXNU

1906 33 1100 DXNU
Year Collection Typology Model Finish1 Finish2 Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1906-93-L700	large oval horizontal panel		greying ash wood	
1906-93-L600	large oval horizontal panel		bleached ash wood	
1906-93-4100	large oval horizontal panel		dark blue	
1906-93-3600	large oval horizontal panel		light blue	
1906-93-3500	large oval horizontal panel		tortora	
1906-93-3300	large oval horizontal panel		grey	
1906-93-3100	large oval horizontal panel		yellow	
1906-93-1300	large oval horizontal panel		red	
1906-90-L700	large round panel		greying ash wood	
1906-90-L600	large round panel		bleached ash wood	
1906-90-H900	large round panel		dark blue fabric	
1906-90-H600	large round panel		light blue fabric	
1906-90-H500	large round panel		tortora fabric	
1906-90-H300	large round panel		grey fabric	
1906-90-H200	large round panel		red fabric	
1906-90-H000	large round panel		yellow fabric	
1906-90-4100	large round panel		dark blue	
1906-90-3600	large round panel		light blue	
1906-90-3500	large round panel		tortora	
1906-90-3300	large round panel		grey	
1906-90-3100	large round panel		yellow	
1906-90-1300	large round panel		red	
1906-33-1100-DXNU	large wall sconces	matt black		dimnable 0-10V / 3000K
1906-33-1100-DXWU	large wall sconces	matt black		dimnable 0-10V / 2700K
1906-33-0100-DXNU	large wall sconces	matt white		dimnable 0-10V / 3000K
1906-33-0100-DXWU	large wall sconces	matt white		dimnable 0-10V / 2700K

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification

Hang Out

Brogliato Traverso 2019



TECHNICAL SHEET

Hang Out is a suspension and wall lighting system, which combines the functionality of the architecture with the expressiveness of the decorative.

Certification




	1906-31 SMALL
Mounting	Wall sconces
Enviroment	Indoor - Dry Location
Materials	Metal
Voltage	100-277V 50/60Hz
Source	40W - CRI=80
Color temperature	3000K / 2700K
Lumen	up to 937 lm
Lighting control	Dimmable 0-10V

	1906-91 MEDIUM
Mounting	Panel
Enviroment	Indoor - Dry location
Materials	MDF and Wood

Technical Drawing

1906-31 +1906-91



L27" x W3.7" x H1"

Finishes

Structure



Matt black



Matt white

Ash panel



Bleached ash



Greyish ash

MDF laccato opaco / Matt laquered MDF Tessuto fonoassorbente / Fabric sound (1906-90 - 1906-95)



Yellow - RAL 1003



Dark Blue - RAL 5011



Red - RAL 3031



Grey - RAL 7035




Tortora - RAL 7006




Light blue - RAL 5024




Yellow acoustic fabric



Red acoustic fabric



Dark blue acoustic fabric



Grey acoustic fabric



Tortora acoustic fabric



Light blue acoustic fabric

Hang Out

Brogliato Traverso

Codes Interpretation

1906 - 31 - 1100 - DXNU

1906
Year Collection

31
Typology Model

1100
Finish1 Finish2

DXNU
Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1906-91-L700	medium round panel		greying ash wood	
1906-91-L600	medium round panel		bleached ash wood	
1906-91-4100	medium round panel		dark blue	
1906-91-3600	medium round panel		light blue	
1906-91-3500	medium round panel		tortora	
1906-91-3300	medium round panel		grey	
1906-91-3100	medium round panel		yellow	
1906-91-1300	medium round panel		red	
1906-31-1100-DXNU	small wall sconces	matt black		dimnable 0-10V / 3000K
1906-31-1100-DXWU	small wall sconces	matt black		dimnable 0-10V / 2700K
1906-31-0100-DXNU	small wall sconces	matt white		dimnable 0-10V / 3000K
1906-31-0100-DXWU	small wall sconces	matt white		dimnable 0-10V / 2700K

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification