

TECHNICAL SHEET

Thin stems in precious metallic finishes create evocative harmonies of light.

Available in three sizes, Storm is a lamp that can live alone but is designed to be used in groups, in public spaces as well as at home.


Certification



	1704-23 LARGE	1704-21 MEDIUM	1704-20 MINI
Mounting	Suspension	Suspension	Suspension
Environment	Indoor - Dry Location	Indoor - Dry Location	Indoor - Dry Location
Materials	Metal	Metal	Metal
Input current	350mA	350mA	350mA
Source	LED 4W - CRI=90	LED 4W - CRI=90	LED 4W - CRI=90
Color Temperature	3000K / 2700K	3000K / 2700K	3000K / 2700K
Lumen	383lm	383lm	383lm
Cable RAL	7013	7013	7013

	1704-90 CANOPY TYPE B	1704-91 CANOPY TYPE B RECESSED	PLATES TYPE B
Mounting	Ceiling	Recessed	Ceiling
Environment	Indoor - Dry location	Indoor - Dry location	Indoor - Dry location
Materials	Metal	Metal	Metal
Voltage	120V 50/60Hz	24Vdc	120/277V 60Hz
Lighting control	On-off / Dimmable 0-10V	Remote driver not included	Dimmable 0-10V
Finishes	Matt white Matt gold Matt black	Matt white	Matt white

Technical Drawing



Finishes

Structure



Matt black



Matt gold



Glossy chrome

Canopies



Matt black varnished metal



Matt gold varnished metal



Matt white varnished metal

NOTE:

All luminaires can only be sold with the single rosettes, with the multiple plates or with bar canopies.
The reverse is also true: rosettes,multiple plates and bar canopies cannot be sold separately from pendants.
All fixture are tested and guaranteed in their entirety: pendant + rosette, pendant(s) + multiplate or pendant(s) + bar canopy.
Any unauthorized installation will not be deemed compliant.

Codes Interpretation

1704 - 20 - 1100 - N2NU

1704

Year Collection

20

Typology Model

1100

Finish1 Finish2

N2NU

Lighting control Cable Source Wiring

CODES	SIZE	STRUCTURE	SHADE	DETAILS
1704-20-1100-N2NU	mini suspension	matt black		wire 78.7" / 3000K
1704-20-1100-N4NU	mini suspension	matt black		wire 157.5" / 3000K
1704-20-1100-N2WU	mini suspension	matt black		wire 78.7" / 2700K
1704-20-1100-N4WU	mini suspension	matt black		wire 157.5" / 2700K
1704-20-0600-N2NU	mini suspension	matt gold		wire 78.7" / 3000K
1704-20-0600-N4NU	mini suspension	matt gold		wire 157.5" / 3000K
1704-20-0600-N2WU	mini suspension	matt gold		wire 78.7" / 2700K
1704-20-0600-N4WU	mini suspension	matt gold		wire 157.5" / 2700K
1704-20-2400-N2NU	mini suspension	glossy chrome		wire 78.7" / 3000K
1704-20-2400-N4NU	mini suspension	glossy chrome		wire 157.5" / 3000K
1704-20-2400-N2WU	mini suspension	glossy chrome		wire 78.7" / 2700K
1704-20-2400-N4WU	mini suspension	glossy chrome		wire 157.5" / 2700K
1704-21-1100-N2NU	medium suspension	matt black		wire 78.7" / 3000K
1704-21-1100-N4NU	medium suspension	matt black		wire 157.5" / 3000K
1704-21-1100-N2WU	medium suspension	matt black		wire 78.7" / 2700K
1704-21-1100-N4WU	medium suspension	matt black		wire 157.5" / 2700K
1704-21-0600-N2NU	medium suspension	matt gold		wire 78.7" / 3000K
1704-21-0600-N4NU	medium suspension	matt gold		wire 157.5" / 3000K
1704-21-0600-N2WU	medium suspension	matt gold		wire 78.7" / 2700K
1704-21-0600-N4WU	medium suspension	matt gold		wire 157.5" / 2700K
1704-21-2400-N2NU	medium suspension	glossy chrome		wire 78.7" / 3000K
1704-21-2400-N4NU	medium suspension	glossy chrome		wire 157.5" / 3000K
1704-21-2400-N2WU	medium suspension	glossy chrome		wire 78.7" / 2700K
1704-21-2400-N4WU	medium suspension	glossy chrome		wire 157.5" / 2700K
1704-23-0100-N2NU	large suspension	matt black		wire 78.7" / 3000K
1704-23-1100-N2NU	large suspension	matt black		wire 157.5" / 3000K
1704-23-1100-N4NU	large suspension	matt black		wire 78.7" / 2700K
1704-23-1100-N2WU	large suspension	matt black		wire 157.5" / 2700K
1704-23-1100-N4WU	large suspension	matt gold		wire 78.7" / 3000K
1704-23-0600-N2NU	large suspension	matt gold		wire 157.5" / 3000K
1704-23-0600-N4NU	large suspension	matt gold		wire 78.7" / 2700K
1704-23-0600-N2WU	large suspension	matt gold		wire 157.5" / 2700K
1704-23-0600-N4WU	large suspension	glossy chrome		wire 78.7" / 3000K
1704-23-2400-N2NU	large suspension	glossy chrome		wire 157.5" / 3000K

1704-23-2400-N4NU	large suspension	glossy chrome	wire 78.7" / 2700K
1704-23-2400-N2WU	large suspension	glossy chrome	wire 157.5" / 2700K
1704-23-2400-N4WU	canopy type B	matt gold	on-off
1704-90-0600-DXLU	canopy type B	matt gold	dimnable 0-10V
1704-90-0100-NXLU	canopy type B	matt white	on-off
1704-90-0100-DXLU	canopy type B	matt white	dimnable 0-10V
1704-90-1100-NXLU	canopy type B	matt black	on-off
1704-90-1100-DXLU	canopy type B	matt black	dimnable 0-10V
1704-91-0100-NXLU	canopy type B recessed	matt white	remote driver not included

Legenda

Lighting Control	D = Dimmable	N = Not dimmable	
Cable	X = not suspension lamp	2 = 2m	4 = 4m
Source	B = Bulb	W = Integrated LED 2700K	N = Integrated LED 3000K
Wiring	E = Universal	U = USA with certification	V = USA without certification